

AMENDED

**APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office APR 12 1990
 Returned to applicant for correction JUN 11 1990
 Corrected application filed JUL 11 1990
 Map filed JUL 25 1990 under 54656

The applicant Bruce Patton, Paul Patton, Carl Knauff

7059 Paddington Way

Street and No. or P.O. Box No.

Las Vegas

City or Town

Nevada 89117

State and Zip Code No.

, hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground Water (Well)
Name of stream, lake, spring, underground or other source
2. The amount of water applied for is 0.046 CFS (4000 Gal/Day) second-feet
One second-foot equals 448.83 gals. per min.
 (a) If stored in reservoir give number of acre-feet
3. The water to be used for Quasi-municipal, Domestic
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for: N/A
 (a) Irrigation, state number of acres to be irrigated
 (b) Stockwater, state number and kinds of animals to be watered
 (c) Other use (describe fully under "No. 12. Remarks")
 (d) Power:
 (1) Horsepower developed
 (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point located in the SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 16,
Describe as being within a 40-acre subdivision of public
T22S, R60E, M.D.M.: N 74° 50' 02" E 724.46 ft. from the W $\frac{1}{4}$ Cor. said Sec. 16.
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
6. Place of use E $\frac{1}{4}$ SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 16, T22S, R60E, M.D.M.
Describe by legal subdivision. If on unsurveyed land, it should be so stated.
7. Use will begin about January 1 and end about December 31, of each year.
Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drilled well w/pump & motor and pressure storage tank.
State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.
9. Estimated cost of works \$28,000.00

10. Estimated time required to construct works.....2 years.....
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use.....8 years.

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Total Use = 4 homes

By s/Boyd R. Urie, agent

Compared bc/ se am/se

Protested

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.046 cubic feet per second, but not to exceed 1.46 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before November 28, 1992

Proof of completion of work shall be filed on or before December 28, 1992

Application of water to beneficial use shall be made on or before November 28, 1995

Proof of the application of water to beneficial use shall be filed on or before December 28, 1995

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed JAN 6 - 1993

Proof of beneficial use filed

Cultural map filed

Certificate No. Issued

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E., State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 28th day of November

A.D. 1990

[Signature] State Engineer